


# Rx-780

COMPLETE AMINO ACID NUTRITION



## GUARANTEED ANALYSIS

Total Nitrogen (N) ..... 9%  
 9%.....Urea Nitrogen  
 Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... 7%  
 Soluble Potash (K<sub>2</sub>O) ..... 9%  
 Molybdenum (Mo) ..... 0.003%

## WHY Rx-780?

**Rx-780** is an NPK fertilizer high in L-amino acid content. **Rx-780** is designed to provide amino acid nutrition, improve nitrogen metabolism, and improve overall nutrient movement in plants.

## PRODUCT USAGE

Color	Apply at 0.25-1 lb./acre as a foliar application 3 to 6 weeks prior to harvest. 1 to 3 applications.
Brix	Apply at 0.25-1 lb./acre as a foliar application 3 to 6 weeks prior to harvest. 1 to 3 applications.
Fertilizer Efficiency	Apply 0.25-1 lb./acre with each application of fertilizer.

# Rx-780

## Rx-780 HANDLING GUIDELINES

### PREMIXING

Premixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

If agitating or recirculating with a diaphragm pump, rinse after use.

### COMPATIBILITY

Always jar test first.

Redox products are compatible with other Redox products when following product handling guidelines.

Use caution with reactive materials, such as phosphate and calcium.

Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

### TANK MIXING/FERTIGATION

Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.

Don't add material too quickly—this allows for more thorough hydration.

The use of inductor assemblies is encouraged.

Recirculate or agitate while adding material.

If material is not applied immediately, tank recirculation is required prior to application to ensure uniform product distribution.

*REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.*

---