


TurfRx  
**Ca**

IMPROVES CALCIUM NUTRITION  
& BUILDS SOIL STRUCTURE



GUARANTEED ANALYSIS  
Calcium (Ca).....20%

WHY **TurfRx Ca**?

**TurfRx Ca** is specifically formulated to provide concentrated plant-available calcium for plant nutrition and soil structure.

*CALCIUM NUTRITION*

Redox microencapsulation allows for improved calcium uptake and movement within the plant.

*SOIL STRUCTURE*

Redox microencapsulation prevents calcium tie-up in the soil allowing for improved soil structure.

*ROOT DEVELOPMENT*

**TurfRx Ca** supplies soluble calcium during critical root development periods. Application is most critical in Spring, Fall and post aeration.

PRODUCT USAGE

Cell Wall Strength	Apply 0.25-5 gal/acre (0.75-15 oz./1000 ft <sup>2</sup> ) as a soil application every 1 to 3 weeks. Water in.
Plant Nutrition	Apply 0.25-5 gal/acre (0.75-15 oz./1000 ft <sup>2</sup> ) as a soil application every 1 to 3 weeks. Water in.
Soil Structure	Apply 0.25-5 gal/acre (0.75-15 oz./1000 ft <sup>2</sup> ) as a soil application every 1 to 3 weeks. Water in.
Root Development	Apply 0.25-5 gal/acre (0.75-15 oz./1000 ft <sup>2</sup> ) as a soil application every 1 to 3 weeks. Water in.

TurfRx **Ca** HANDLING GUIDELINES

**PRE-MIXING**

Pre-mixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

**ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.**

**COMPATABILITY**

Always jar test first.

Redox products are compatible with other Redox products when following product handling guidelines.

Use caution with reactive materials. For example, phosphorus and calcium.

Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

**TANK MIXING/INJECTION**

Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.

Don't add material too quickly—this allows for more thorough hydration.

The use of inductor assemblies is encouraged.

Recirculate or agitate while adding material.

**ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.**

Rinse after use.

*REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.*

---