

DermaPlex+

IMPROVES SOIL BIOLOGY



GUARANTEED ANALYSIS

Total Nitrogen (N) 2%
Total Potassium (K₂O) 3%
Iron (Fe)..... 1%
Zinc (Zn) 1%
ALSO CONTAINS NON PLANT FOOD INGREDIENT(S)
4%Humic Acid

WHY **DermaPlex+**?

DermaPlex+ is a biologically and chemically reacted plant nutrient high in soluble carbon. **DermaPlex+** improves soil biology and soil health due to the short-, medium-, and long-chain soluble carbon content and key Trichoderma metabolites.

PRODUCT USAGE

Water Penetration	Apply 0.5-3 gals./acre as a soil application every 1 to 4 weeks.
Soil Health	Apply 1-5 gals./acre as a soil application every 1 to 4 weeks.
Root Growth	Apply 0.5-4 gals./acre as a soil application every 1 to 4 weeks.
Nitrogen Efficiency	Apply 0.5-2 gals./acre as a soil application every 1 to 4 weeks.

DermaPlex+

DermaPlex+ HANDLING GUIDELINES

PRE-MIXING

Pre-mixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

If agitating or recirculating with a diaphragm pump, rinse after use.

COMPATABILITY

Always jar test first.

Redox products are compatible with other Redox products when following product handling guidelines.

Use caution with reactive materials. For example, phosphate and calcium.

Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

TANK MIXING/FERTIGATION

Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.

Don't add material too quickly—this allows for more thorough hydration.

The use of inductor assemblies is encouraged.

Recirculate or agitate while adding material.

If material is not applied immediately, tank recirculation is required prior to application to ensure uniform product distribution.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.
